


Supplementary Material

In Vivo Immunological Effects of CD73 Deficiency


Thomas Adam^a Andreas Mathes^{a,b} Orkhan Isayev^{a,c} Pavel P. Philippov^d
Jens Werner^{a,e} Svetlana Karakhanova^{f,g} Alexandr V. Bazhin^{a,e}


^aDepartment of General, Visceral, and Transplant Surgery, Ludwig-Maximilians-University Munich, Munich, Germany, ^bSana Klinikum Offenbach, Offenbach, Germany, ^cDepartment of Histology, Embryology and Cytology, Azerbaijan Medical University, Baku, Azerbaijan, ^dDepartment of Cell Signalling, Belozersky Institute of Physico-Chemical Biology, Lomonosov Moscow State University, Moscow, Russia, ^eGerman Cancer Consortium (DKTK), Partner Site Munich, Munich, Germany, ^fDepartment of General, Visceral and Transplantation Surgery, University of Heidelberg, Heidelberg, Germany, ^gSection Surgical Research, University of Heidelberg, Heidelberg, Germany

A



B





D




Table S1. FACS antibodies used in the study.

Fluoro-chrom	Manufacturer	Product-Nr	Name	Clon	Isotype
BV421	BD Pharmingen	564198	CD86Brilliant Violet™ 421	GL1	Rat (LOU) IgG2a, K
BV650	BD Pharmingen	563687	CD80Brilliant Violet™ 650	16-10A1	Armenian Hamster IgG2, K
PE	BD Pharmingen	560592	Ly-6CPE	AL-21	Rat IgM, κ
BUV496	BD Pharmingen	564662	CD45R/B220 BUV496	RA3-6B2	Rat IgG _{2a} , κ
Alexa700	BD Pharmingen	560583	CD11c Alexa Fluor®700	HL3	Armenian Hamster IgG ₁ , λ2
BV510	BD Pharmingen	562950	CD11bBrilliant Violet™ 510	M1/70	Rat DA, also known as DA/HA IgG _{2b} , κ
PerCP	BD Pharmingen	560602	Ly-6GPerCP-Cy5.5	1A8	Rat LEW, also known as Lewis IgG _{2a} , κ
BV711	BD Pharmingen	565612	F4/80Brilliant Violet™ 711	T45-2342	Rat WI, also known as Wistar (outbred) IgG _{2a} , κ
BV450	BD Pharmingen	560468	CD4 V450	RM4.5	Rat (DA) IgG2a, K
FITC	BD Pharmingen	553079	FITC Rat Anti-Mouse CD45	30-F11	Rat (LOU) IgG2b, κ
FITC	BD Pharmingen	553061	CD3eFITC	145-2C11	Armenian Hamster IgG1, K
APC	BD Pharmingen	560401	FoxP3 Alexa Flour 647	MF23	Rat IgG2b
PE	BD Pharmingen	553165	NK-1.1PE	PK136	Mouse (C3H x Balb/c) IgG2a, K
PerCP	BD Pharmingen	560513	CD62L PerCP Cy5.5	MEL-14	Rat (F344) IgG2a, K
BV510	BD	563068	CD8aBrilliant	53-6.7	Rat OFA, also known as Outbred

	Pharmingen		Violet™ 510		OFA IgG ₁ , λ
BV605	BD Pharmingen	563061	CD25Brilliant Violet™ 605	PC61	Rat OFA, also known as Outbred OFA IgG ₁ , λ
BV711	BD Pharmingen	740664	BD OptiBuild™ D69 BV711	H1.2F3	Armenian Hamster IgG ₁ , λ3
BV650	BD Pharmingen	740455	BD OptiBuild™ D44 BV650	IM7	Rat IgG _{2b} , κ
APC- Cy7	BD Pharmingen	552051	APC-Cy™7 Rat Anti- Mouse CD4	GK1.5	Rat (LEW) IgG _{2b} , κ
APC- Cy7	BD Pharmingen	557659	CD45 APC- Cy7	30-F11	Rat LOU, also known as Louvain, LOU/C, LOU/M IgG _{2b} , κ
Alexa Fluor 647	BD Pharmingen	557869	Alexa Fluor® 647 Rat Anti- Mouse CD3 Molecular Complex	17A2	Rat (SD) IgG _{2b} , κ
Alexa Fluor 700	BD Pharmingen	557959	Alexa Fluor® 700 Rat Anti- Mouse CD8a	53-6.7	Rat (LOU) IgG _{2a} , κ
Alexa Fluor 700	BD Pharmingen	557958	CD19Alexa Fluor® 700	1D3	Rat LEW, also known as Lewis IgG _{2a} , κ
PE	BD Pharmingen	554412	PE Rat Anti- Mouse IFN-γ	XMG1.2	Rat IgG ₁ , κ
PE	BD Pharmingen	550741	CD73 PE	TY/23	Rat (WI) IgG _{2a} , κ
PE- Cy7	BD Pharmingen	560516	CD62L PE- Cy7	MEL-14	Rat (F344) IgG _{2a} , κ
PerCP	Biologend	420404	7-AAD Viability Staining Solution	---	---